

Twintex

High-tenacity polyester yarn encased in a smooth, double-wall tightly woven cover



Item Name short	Weight Net [lbs]	WLL Vertical [lbs]	Length [ft.]	WLL Choker [lbs]	WLL 90° Basket lbs [lbs]	Weight per Foot [lbs/ft]	Maximum Length [ft.]
E30X2	0.4	2600	2	2100	5200	0.2	50
E30X3	0.67	2600	3	2100	5200	0.2	50
E30X4	0.95	2600	4	2100	5200	0.2	50
E60X3	1	5300	3	4200	10600	0.3	50
E30X6	1.35	2600	6	2100	5200	0.2	50
E90X3	1.5	8400	3	6700	16800	0.5	50
E60X4	1.6	5300	4	4200	10600	0.3	50
E30X8	1.85	2600	8	2100	5200	0.2	50
E60x6	1.95	5300	6	4200	10600	0.3	50
E90X4	2	8400	4	6700	16800	0.5	50
E30X10	2.35	2600	10	2100	5200	0.2	50
E60X8	2.5	5300	8	4200	10600	0.3	50
E30X12	2.65	2600	12	2100	5200	0.2	50
E90X6	2.75	8400	6	6700	16800	0.5	50
E120X4	2.95	10600	4	8500	21200	0.6	50
E30X20	3	2600	20	2100	5200	0.2	50
E60X10	3.2	5300	10	4200	10600	0.3	50
E150X4	3.3	13200	4	10600	26400	0.7	50
E180X4	3.72	16800	4	13400	33600	0.9	50
E120X6	3.82	10600	6	8500	21200	0.6	50
E60X12	3.85	5300	12	4200	10600	0.3	50
E240X4	3.9	21200	4	17000	42400	0.9	50
E90x10	4.55	8400	10	6700	16800	0.5	50
E150X6	4.65	13200	6	10600	26400	0.7	50
E120X8	5.1	10600	8	8500	21200	0.6	50
E90X12	5.35	8400	12	6700	16800	0.5	50
E180X6	5.58	16800	6	13400	33600	0.9	50
E240X6	5.85	21200	6	17000	42400	0.9	50
E120X10	6.37	10600	10	8500	21200	0.6	50
E60X20	6.55	5300	20	4200	10600	0.3	50
E150X8	6.55	13200	8	10600	26400	0.7	50



Item Name short	Weight Net [lbs]	WLL Vertical [lbs]	Length [ft.]	WLL Choker [lbs]	WLL 90° Basket lbs [lbs]	Weight per Foot [lbs/ft]	Maximum Length [ft.]
E90X8	6.6	8400	8	6700	16800	0.5	50
E180X8	7.44	16800	8	13400	33600	0.9	50
E360X4	7.53	31000	4	24800	62000	1.5	98
E120X12	7.65	10600	12	8500	21200	0.6	50
E150X10	7.75	13200	10	10600	26400	0.7	50
E240X8	8.8	21200	8	17000	42400	0.9	50
E480X4	9.04	40000	4	32000	80000	2	98
E180X10	9.3	16800	10	13400	33600	0.9	50
E150X12	9.35	13200	12	10600	26400	0.7	50
E90X20	9.4	8400	20	6700	16800	0.5	50
E240X10	11	21200	10	17000	42400	0.9	50
E180X12	11.16	16800	12	13400	33600	0.9	50
E360X6	11.3	31000	6	24800	62000	1.5	98
E120X20	12.75	10600	20	8500	21200	0.6	50
E240X12	12.95	21200	12	17000	42400	0.9	50
E480X6	13.56	40000	6	32000	80000	2	98
E360X10	13.71	31000	10	24800	62000	1.5	98
E360X8	15.04	31000	8	24800	62000	1.5	98
E150X20	16	13200	20	10600	26400	0.7	50
E360X12	16.45	31000	12	24800	62000	1.5	98
E180X20	16.6	16800	20	13400	33600	0.9	50
E480X8	18.08	40000	8	32000	80000	2	98
E240X20	19.5	21200	20	17000	42400	0.9	50
E600X8	22	53000	8	42000	106000	2.75	198
E480X10	22.6	40000	10	32000	80000	2	98
E800X8	24.8	66000	8	72000	132000	3.1	198
E480X12	27.12	40000	12	32000	80000	2	98
E360X20	27.42	31000	20	24800	62000	1.5	98
E600X10	27.5	53000	10	42000	106000	2.75	198
E800X10	31	66000	10	72000	132000	3.1	198
E600X12	33	53000	12	42000	106000	2.75	198
E1000X8	35.2	90000	8	72000	180000	4.4	198



Item Name short	Weight Net [lbs]	WLL Vertical [lbs]	Length [ft.]	WLL Choker [lbs]	WLL 90° Basket lbs [lbs]	Weight per Foot [lbs/ft]	Maximum Length [ft.]
E800X12	37.2	66000	12	72000	132000	3.1	198
E1000X10	44	90000	10	72000	180000	4.4	198
E480X20	45.2	40000	20	32000	80000	2	98
E1000X12	52.8	90000	12	72000	180000	4.4	198
E600X20	55	53000	20	42000	106000	2.75	198
E800X20	62	66000	20	72000	132000	3.1	198
E1000X20	88	90000	20	72000	180000	4.4	198

Item Name short	Minimum Length [ft.]	Approx. Width At Load [in]	Approx. Body Diameter Relaxed [in]	Color
E30X2	1.5	1.38	0.5	Purple
E30X3	1.5	1.38	0.5	Purple
E30X4	1.5	1.38	0.5	Purple
E60X3	1.5	1.68	0.62	Green
E30X6	1.5	1.38	0.5	Purple
E90X3	2.0	1.75	0.87	Yellow
E60X4	1.5	1.68	0.62	Green
E30X8	1.5	1.38	0.5	Purple
E60x6	1.5	1.68	0.62	Green
E90X4	2.0	1.75	0.87	Yellow
E30X10	1.5	1.38	0.5	Purple
E60X8	1.5	1.68	0.62	Green
E30X12	1.5	1.38	0.5	Purple
E90X6	2.0	1.75	0.87	Yellow
E120X4	3	2	1.12	Tan
E30X20	1.5	1.38	0.5	Purple
E60X10	1.5	1.68	0.62	Green
E150X4	3	2.5	1.25	Red



Item Name short	Minimum Length [ft.]	Approx. Width At Load [in]	Approx. Body Diameter Relaxed [in]	Color
E180X4	3	2.75	1.5	White
E120X6	3	2	1.12	Tan
E60X12	1.5	1.68	0.62	Green
E240X4	3	3.25	1.75	Blue
E90x10	2.0	1.75	0.87	Yellow
E150X6	3	2.5	1.25	Red
E120X8	3	2	1.12	Tan
E90X12	2.0	1.75	0.87	Yellow
E180X6	3	2.75	1.5	White
E240X6	3	3.25	1.75	Blue
E120X10	3	2	1.12	Tan
E60X20	1.5	1.68	0.62	Green
E150X8	3	2.5	1.25	Red
E90X8	2.0	1.75	0.87	Yellow
E180X8	3	2.75	1.5	White
E360X4	3	4	2.32	Grey
E120X12	3	2	1.12	Tan
E150X10	3	2.5	1.25	Red
E240X8	3	3.25	1.75	Blue
E480X4	4	4.25	2.5	Maroon
E180X10	3	2.75	1.5	White
E150X12	3	2.5	1.25	Red
E90X20	2.0	1.75	0.87	Yellow
E240X10	3	3.25	1.75	Blue
E180X12	3	2.75	1.5	White
E360X6	3	4	2.32	Grey



Item Name short	Minimum Length [ft.]	Approx. Width At Load [in]	Approx. Body Diameter Relaxed [in]	Color
E120X20	3	2	1.12	Tan
E240X12	3	3.25	1.75	Blue
E480X6	4	4.25	2.5	Maroon
E360X10	3	4	2.32	Grey
E360X8	3	4	2.32	Grey
E150X20	3	2.5	1.25	Red
E360X12	3	4	2.32	Grey
E180X20	3	2.75	1.5	White
E480X8	4	4.25	2.5	Maroon
E240X20	3	3.25	1.75	Blue
E600X8	8	4.62	2.75	Brown
E480X10	4	4.25	2.5	Maroon
E800X8	8	5.25	3	Olive
E480X12	4	4.25	2.5	Maroon
E360X20	3	4	2.32	Grey
E600X10	8	4.62	2.75	Brown
E800X10	8	5.25	3	Olive
E600X12	8	4.62	2.75	Brown
E1000X8	8	6	3.62	Black
E800X12	8	5.25	3	Olive
E1000X10	8	6	3.62	Black
E480X20	4	4.25	2.5	Maroon
E1000X12	8	6	3.62	Black
E600X20	8	4.62	2.75	Brown
E800X20	8	5.25	3	Olive
E1000X20	8	6	3.62	Black



ORDER NUMBERS

WLL Vertical	WLL 90° Basket lbs	WLL Choker	2 ft.	3 ft.	4 ft.	6 ft.	8 ft.	10 ft.	12 ft.	20 ft.
2600 lbs	5200 lbs	2100 lbs	2012882	2012883	2012884	2012577	2022115	2022122	2022123	2022124
5300 lbs	10600 lbs	4200 lbs	-	2012578	2013976	2013977	2013978	2013979	2013980	2022125
8400 lbs	16800 lbs	6700 lbs	-	2013981	2012579	2013982	2013983	2013985	2013984	2013986
10600 lbs	21200 lbs	8500 lbs	-	-	2022126	2022127	2022128	2022129	2022130	2022131
13200 lbs	26400 lbs	10600 lbs	-	-	2024066	2022132	2022133	2012581	2022134	2021234
16800 lbs	33600 lbs	13400 lbs	-	-	2022145	2022146	2022147	2022148	2022149	2022150
21200 lbs	42400 lbs	17000 lbs	-	-	2022151	2022152	2022153	2012582	2022154	2022155
31000 lbs	62000 lbs	24800 lbs	-	-	2022156	2022157	2022158	2022159	2022160	2022161
40000 lbs	80000 lbs	32000 lbs	-	-	2022162	2022163	2022164	2022165	2022166	2022167
53000 lbs	106000 lbs	42000 lbs	-	-	-	-	2030190	2030191	2030192	2030193
66000 lbs	132000 lbs	72000 lbs	-	-	-	-	2030194	2030195	2030196	2030197
90000 lbs	180000 lbs	72000 lbs	-	-	-	-	2030198	2030199	2030200	2030201

- Norms ASME B30.9
- Main Material High-Tenacity Polyester
- Temperature Range -40°C bis +100°C
- Label Protection No
- Packaging Unit (PU) Content 1

SpanSet, Inc.
3125 Industrial Drive
Sanford, NC 27331
United States of
America
800-334-7505
info@spanset.com
www.spanset.com



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet, Inc. - USA

**SpanSet
Certified
Safety**