

### Twintex

High-tenacity polyester yarn encased in a smooth, double-wall tightly woven cover



| Item Name short | Weight Net [lbs] | WLL Vertical [lbs] | Length [ft.] | WLL Choker [lbs] | WLL 90° Basket lbs [lbs] | Weight per Foot [lbs/ft] | Maximum Length [ft.] |
|-----------------|------------------|--------------------|--------------|------------------|--------------------------|--------------------------|----------------------|
| E30X2           | 0.4              | 2600               | 2            | 2100             | 5200                     | 0.2                      | 50                   |
| E30X3           | 0.67             | 2600               | 3            | 2100             | 5200                     | 0.2                      | 50                   |
| E30X4           | 0.95             | 2600               | 4            | 2100             | 5200                     | 0.2                      | 50                   |
| E60X3           | 1                | 5300               | 3            | 4200             | 10600                    | 0.3                      | 50                   |
| E30X6           | 1.35             | 2600               | 6            | 2100             | 5200                     | 0.2                      | 50                   |
| E90X3           | 1.5              | 8400               | 3            | 6700             | 16800                    | 0.5                      | 50                   |
| E60X4           | 1.6              | 5300               | 4            | 4200             | 10600                    | 0.3                      | 50                   |
| E30X8           | 1.85             | 2600               | 8            | 2100             | 5200                     | 0.2                      | 50                   |
| E60x6           | 1.95             | 5300               | 6            | 4200             | 10600                    | 0.3                      | 50                   |
| E90X4           | 2                | 8400               | 4            | 6700             | 16800                    | 0.5                      | 50                   |
| E30X10          | 2.35             | 2600               | 10           | 2100             | 5200                     | 0.2                      | 50                   |
| E60X8           | 2.5              | 5300               | 8            | 4200             | 10600                    | 0.3                      | 50                   |
| E30X12          | 2.65             | 2600               | 12           | 2100             | 5200                     | 0.2                      | 50                   |
| E90X6           | 2.75             | 8400               | 6            | 6700             | 16800                    | 0.5                      | 50                   |
| E120X4          | 2.95             | 10600              | 4            | 8500             | 21200                    | 0.6                      | 50                   |
| E30X20          | 3                | 2600               | 20           | 2100             | 5200                     | 0.2                      | 50                   |
| E60X10          | 3.2              | 5300               | 10           | 4200             | 10600                    | 0.3                      | 50                   |
| E150X4          | 3.3              | 13200              | 4            | 10600            | 26400                    | 0.7                      | 50                   |
| E180X4          | 3.72             | 16800              | 4            | 13400            | 33600                    | 0.9                      | 50                   |
| E120X6          | 3.82             | 10600              | 6            | 8500             | 21200                    | 0.6                      | 50                   |
| E60X12          | 3.85             | 5300               | 12           | 4200             | 10600                    | 0.3                      | 50                   |
| E240X4          | 3.9              | 21200              | 4            | 17000            | 42400                    | 0.9                      | 50                   |
| E90x10          | 4.55             | 8400               | 10           | 6700             | 16800                    | 0.5                      | 50                   |
| E150X6          | 4.65             | 13200              | 6            | 10600            | 26400                    | 0.7                      | 50                   |
| E120X8          | 5.1              | 10600              | 8            | 8500             | 21200                    | 0.6                      | 50                   |
| E90X12          | 5.35             | 8400               | 12           | 6700             | 16800                    | 0.5                      | 50                   |
| E180X6          | 5.58             | 16800              | 6            | 13400            | 33600                    | 0.9                      | 50                   |
| E240X6          | 5.85             | 21200              | 6            | 17000            | 42400                    | 0.9                      | 50                   |
| E120X10         | 6.37             | 10600              | 10           | 8500             | 21200                    | 0.6                      | 50                   |
| E60X20          | 6.55             | 5300               | 20           | 4200             | 10600                    | 0.3                      | 50                   |
| E150X8          | 6.55             | 13200              | 8            | 10600            | 26400                    | 0.7                      | 50                   |



| Item Name short | Weight Net [lbs] | WLL Vertical [lbs] | Length [ft.] | WLL Choker [lbs] | WLL 90° Basket lbs [lbs] | Weight per Foot [lbs/ft] | Maximum Length [ft.] |
|-----------------|------------------|--------------------|--------------|------------------|--------------------------|--------------------------|----------------------|
| E90X8           | 6.6              | 8400               | 8            | 6700             | 16800                    | 0.5                      | 50                   |
| E180X8          | 7.44             | 16800              | 8            | 13400            | 33600                    | 0.9                      | 50                   |
| E360X4          | 7.53             | 31000              | 4            | 24800            | 62000                    | 1.5                      | 98                   |
| E120X12         | 7.65             | 10600              | 12           | 8500             | 21200                    | 0.6                      | 50                   |
| E150X10         | 7.75             | 13200              | 10           | 10600            | 26400                    | 0.7                      | 50                   |
| E240X8          | 8.8              | 21200              | 8            | 17000            | 42400                    | 0.9                      | 50                   |
| E480X4          | 9.04             | 40000              | 4            | 32000            | 80000                    | 2                        | 98                   |
| E180X10         | 9.3              | 16800              | 10           | 13400            | 33600                    | 0.9                      | 50                   |
| E150X12         | 9.35             | 13200              | 12           | 10600            | 26400                    | 0.7                      | 50                   |
| E90X20          | 9.4              | 8400               | 20           | 6700             | 16800                    | 0.5                      | 50                   |
| E240X10         | 11               | 21200              | 10           | 17000            | 42400                    | 0.9                      | 50                   |
| E180X12         | 11.16            | 16800              | 12           | 13400            | 33600                    | 0.9                      | 50                   |
| E360X6          | 11.3             | 31000              | 6            | 24800            | 62000                    | 1.5                      | 98                   |
| E120X20         | 12.75            | 10600              | 20           | 8500             | 21200                    | 0.6                      | 50                   |
| E240X12         | 12.95            | 21200              | 12           | 17000            | 42400                    | 0.9                      | 50                   |
| E480X6          | 13.56            | 40000              | 6            | 32000            | 80000                    | 2                        | 98                   |
| E360X10         | 13.71            | 31000              | 10           | 24800            | 62000                    | 1.5                      | 98                   |
| E360X8          | 15.04            | 31000              | 8            | 24800            | 62000                    | 1.5                      | 98                   |
| E150X20         | 16               | 13200              | 20           | 10600            | 26400                    | 0.7                      | 50                   |
| E360X12         | 16.45            | 31000              | 12           | 24800            | 62000                    | 1.5                      | 98                   |
| E180X20         | 16.6             | 16800              | 20           | 13400            | 33600                    | 0.9                      | 50                   |
| E480X8          | 18.08            | 40000              | 8            | 32000            | 80000                    | 2                        | 98                   |
| E240X20         | 19.5             | 21200              | 20           | 17000            | 42400                    | 0.9                      | 50                   |
| E600X8          | 22               | 53000              | 8            | 42000            | 106000                   | 2.75                     | 198                  |
| E480X10         | 22.6             | 40000              | 10           | 32000            | 80000                    | 2                        | 98                   |
| E800X8          | 24.8             | 66000              | 8            | 72000            | 132000                   | 3.1                      | 198                  |
| E480X12         | 27.12            | 40000              | 12           | 32000            | 80000                    | 2                        | 98                   |
| E360X20         | 27.42            | 31000              | 20           | 24800            | 62000                    | 1.5                      | 98                   |
| E600X10         | 27.5             | 53000              | 10           | 42000            | 106000                   | 2.75                     | 198                  |
| E800X10         | 31               | 66000              | 10           | 72000            | 132000                   | 3.1                      | 198                  |
| E600X12         | 33               | 53000              | 12           | 42000            | 106000                   | 2.75                     | 198                  |
| E1000X8         | 35.2             | 90000              | 8            | 72000            | 180000                   | 4.4                      | 198                  |



| Item Name short | Weight Net [lbs] | WLL Vertical [lbs] | Length [ft.] | WLL Choker [lbs] | WLL 90° Basket lbs [lbs] | Weight per Foot [lbs/ft] | Maximum Length [ft.] |
|-----------------|------------------|--------------------|--------------|------------------|--------------------------|--------------------------|----------------------|
| E800X12         | 37.2             | 66000              | 12           | 72000            | 132000                   | 3.1                      | 198                  |
| E1000X10        | 44               | 90000              | 10           | 72000            | 180000                   | 4.4                      | 198                  |
| E480X20         | 45.2             | 40000              | 20           | 32000            | 80000                    | 2                        | 98                   |
| E1000X12        | 52.8             | 90000              | 12           | 72000            | 180000                   | 4.4                      | 198                  |
| E600X20         | 55               | 53000              | 20           | 42000            | 106000                   | 2.75                     | 198                  |
| E800X20         | 62               | 66000              | 20           | 72000            | 132000                   | 3.1                      | 198                  |
| E1000X20        | 88               | 90000              | 20           | 72000            | 180000                   | 4.4                      | 198                  |

| Item Name short | Minimum Length [ft.] | Approx. Width At Load [in] | Approx. Body Diameter Relaxed [in] | Color  |
|-----------------|----------------------|----------------------------|------------------------------------|--------|
| E30X2           | 1.5                  | 1.38                       | 0.5                                | Purple |
| E30X3           | 1.5                  | 1.38                       | 0.5                                | Purple |
| E30X4           | 1.5                  | 1.38                       | 0.5                                | Purple |
| E60X3           | 1.5                  | 1.68                       | 0.62                               | Green  |
| E30X6           | 1.5                  | 1.38                       | 0.5                                | Purple |
| E90X3           | 2.0                  | 1.75                       | 0.87                               | Yellow |
| E60X4           | 1.5                  | 1.68                       | 0.62                               | Green  |
| E30X8           | 1.5                  | 1.38                       | 0.5                                | Purple |
| E60x6           | 1.5                  | 1.68                       | 0.62                               | Green  |
| E90X4           | 2.0                  | 1.75                       | 0.87                               | Yellow |
| E30X10          | 1.5                  | 1.38                       | 0.5                                | Purple |
| E60X8           | 1.5                  | 1.68                       | 0.62                               | Green  |
| E30X12          | 1.5                  | 1.38                       | 0.5                                | Purple |
| E90X6           | 2.0                  | 1.75                       | 0.87                               | Yellow |
| E120X4          | 3                    | 2                          | 1.12                               | Tan    |
| E30X20          | 1.5                  | 1.38                       | 0.5                                | Purple |
| E60X10          | 1.5                  | 1.68                       | 0.62                               | Green  |
| E150X4          | 3                    | 2.5                        | 1.25                               | Red    |



| Item Name short | Minimum Length [ft.] | Approx. Width At Load [in] | Approx. Body Diameter Relaxed [in] | Color  |
|-----------------|----------------------|----------------------------|------------------------------------|--------|
| E180X4          | 3                    | 2.75                       | 1.5                                | White  |
| E120X6          | 3                    | 2                          | 1.12                               | Tan    |
| E60X12          | 1.5                  | 1.68                       | 0.62                               | Green  |
| E240X4          | 3                    | 3.25                       | 1.75                               | Blue   |
| E90x10          | 2.0                  | 1.75                       | 0.87                               | Yellow |
| E150X6          | 3                    | 2.5                        | 1.25                               | Red    |
| E120X8          | 3                    | 2                          | 1.12                               | Tan    |
| E90X12          | 2.0                  | 1.75                       | 0.87                               | Yellow |
| E180X6          | 3                    | 2.75                       | 1.5                                | White  |
| E240X6          | 3                    | 3.25                       | 1.75                               | Blue   |
| E120X10         | 3                    | 2                          | 1.12                               | Tan    |
| E60X20          | 1.5                  | 1.68                       | 0.62                               | Green  |
| E150X8          | 3                    | 2.5                        | 1.25                               | Red    |
| E90X8           | 2.0                  | 1.75                       | 0.87                               | Yellow |
| E180X8          | 3                    | 2.75                       | 1.5                                | White  |
| E360X4          | 3                    | 4                          | 2.32                               | Grey   |
| E120X12         | 3                    | 2                          | 1.12                               | Tan    |
| E150X10         | 3                    | 2.5                        | 1.25                               | Red    |
| E240X8          | 3                    | 3.25                       | 1.75                               | Blue   |
| E480X4          | 4                    | 4.25                       | 2.5                                | Maroon |
| E180X10         | 3                    | 2.75                       | 1.5                                | White  |
| E150X12         | 3                    | 2.5                        | 1.25                               | Red    |
| E90X20          | 2.0                  | 1.75                       | 0.87                               | Yellow |
| E240X10         | 3                    | 3.25                       | 1.75                               | Blue   |
| E180X12         | 3                    | 2.75                       | 1.5                                | White  |
| E360X6          | 3                    | 4                          | 2.32                               | Grey   |



| Item Name short | Minimum Length [ft.] | Approx. Width At Load [in] | Approx. Body Diameter Relaxed [in] | Color  |
|-----------------|----------------------|----------------------------|------------------------------------|--------|
| E120X20         | 3                    | 2                          | 1.12                               | Tan    |
| E240X12         | 3                    | 3.25                       | 1.75                               | Blue   |
| E480X6          | 4                    | 4.25                       | 2.5                                | Maroon |
| E360X10         | 3                    | 4                          | 2.32                               | Grey   |
| E360X8          | 3                    | 4                          | 2.32                               | Grey   |
| E150X20         | 3                    | 2.5                        | 1.25                               | Red    |
| E360X12         | 3                    | 4                          | 2.32                               | Grey   |
| E180X20         | 3                    | 2.75                       | 1.5                                | White  |
| E480X8          | 4                    | 4.25                       | 2.5                                | Maroon |
| E240X20         | 3                    | 3.25                       | 1.75                               | Blue   |
| E600X8          | 8                    | 4.62                       | 2.75                               | Brown  |
| E480X10         | 4                    | 4.25                       | 2.5                                | Maroon |
| E800X8          | 8                    | 5.25                       | 3                                  | Olive  |
| E480X12         | 4                    | 4.25                       | 2.5                                | Maroon |
| E360X20         | 3                    | 4                          | 2.32                               | Grey   |
| E600X10         | 8                    | 4.62                       | 2.75                               | Brown  |
| E800X10         | 8                    | 5.25                       | 3                                  | Olive  |
| E600X12         | 8                    | 4.62                       | 2.75                               | Brown  |
| E1000X8         | 8                    | 6                          | 3.62                               | Black  |
| E800X12         | 8                    | 5.25                       | 3                                  | Olive  |
| E1000X10        | 8                    | 6                          | 3.62                               | Black  |
| E480X20         | 4                    | 4.25                       | 2.5                                | Maroon |
| E1000X12        | 8                    | 6                          | 3.62                               | Black  |
| E600X20         | 8                    | 4.62                       | 2.75                               | Brown  |
| E800X20         | 8                    | 5.25                       | 3                                  | Olive  |
| E1000X20        | 8                    | 6                          | 3.62                               | Black  |



### ORDER NUMBERS[Global Item Number/Local ERP Number SSUS]

| WLL Vertical | WLL 90° Basket lbs | WLL Choker | 2 ft.            | 3 ft.            | 4 ft.             | 6 ft.             | 8 ft.              | 10 ft.              | 12 ft.              | 20 ft.              |
|--------------|--------------------|------------|------------------|------------------|-------------------|-------------------|--------------------|---------------------|---------------------|---------------------|
| 2600 lbs     | 5200 lbs           | 2100 lbs   | 2012882<br>E30X2 | 2012883<br>E30X3 | 2012884<br>E30X4  | 2012577<br>E30X6  | 2022115<br>E30X8   | 2022122<br>E30X10   | 2022123<br>E30X12   | 2022124<br>E30X20   |
| 5300 lbs     | 10600 lbs          | 4200 lbs   | -                | 2012578<br>E60X3 | 2013976<br>E60X4  | 2013977<br>E60X6  | 2013978<br>E60X8   | 2013979<br>E60X10   | 2013980<br>E60X12   | 2022125<br>E60X20   |
| 8400 lbs     | 16800 lbs          | 6700 lbs   | -                | 2013981<br>E90X3 | 2012579<br>E90X4  | 2013982<br>E90X6  | 2013983<br>E90X8   | 2013985<br>E90X10   | 2013984<br>E90X12   | 2013986<br>E90X20   |
| 10600 lbs    | 21200 lbs          | 8500 lbs   | -                | -                | 2022126<br>E120X4 | 2022127<br>E120X6 | 2022128<br>E120X8  | 2022129<br>E120X10  | 2022130<br>E120X12  | 2022131<br>E120X20  |
| 13200 lbs    | 26400 lbs          | 10600 lbs  | -                | -                | 2024066<br>E150X4 | 2022132<br>E150X6 | 2022133<br>E150X8  | 2012581<br>E150X10  | 2022134<br>E150X12  | 2021234<br>E150X20  |
| 16800 lbs    | 33600 lbs          | 13400 lbs  | -                | -                | 2022145<br>E180X4 | 2022146<br>E180X6 | 2022147<br>E180X8  | 2022148<br>E180X10  | 2022149<br>E180X12  | 2022150<br>E180X20  |
| 21200 lbs    | 42400 lbs          | 17000 lbs  | -                | -                | 2022151<br>E240X4 | 2022152<br>E240X6 | 2022153<br>E240X8  | 2012582<br>E240X10  | 2022154<br>E240X12  | 2022155<br>E240X20  |
| 31000 lbs    | 62000 lbs          | 24800 lbs  | -                | -                | 2022156<br>E360X4 | 2022157<br>E360X6 | 2022158<br>E360X8  | 2022159<br>E360X10  | 2022160<br>E360X12  | 2022161<br>E360X20  |
| 40000 lbs    | 80000 lbs          | 32000 lbs  | -                | -                | 2022162<br>E480X4 | 2022163<br>E480X6 | 2022164<br>E480X8  | 2022165<br>E480X10  | 2022166<br>E480X12  | 2022167<br>E480X20  |
| 53000 lbs    | 106000 lbs         | 42000 lbs  | -                | -                | -                 | -                 | 2030190<br>E600X8  | 2030191<br>E600X10  | 2030192             | 2030193<br>E600X20  |
| 66000 lbs    | 132000 lbs         | 72000 lbs  | -                | -                | -                 | -                 | 2030194<br>E800x8  | 2030195<br>E800X10  | 2030196<br>E800X12  | 2030197<br>E800X20  |
| 90000 lbs    | 180000 lbs         | 72000 lbs  | -                | -                | -                 | -                 | 2030198<br>E1000X8 | 2030199<br>E1000X10 | 2030200<br>E1000X12 | 2030201<br>E1000X20 |

- Norms ASME B30.9
- Main Material High-Tenacity Polyester
- Temperature Range -40°C bis +100°C
- Label Protection No
- Packaging Unit (PU) Content 1

**SpanSet, Inc.**  
3125 Industrial Drive  
Sanford, NC 27331  
United States of  
America  
800-334-7505  
info@spanset.com  
www.spanset.com



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet, Inc. - USA

**SpanSet  
Certified  
Safety**